

MONTO®

www.krause-systems.com



 **QUALITY**
Since 1900

MONTO®

- DE** Das Programm für ambitionierte Heimwerker und Handwerker.
- EN** The product range for ambitious do-it-yourselfer and craftsmen.
- PL** Program dla ambitnych majsterkowiczów i rzemieślników.
- RU** Программа для профессионалов с высокими требованиями.
- HU** Termékcsalád ambíciózus barkácsolók és szakemberek számára.





MultiGrip System



4-fach-Connect System



RollStop System



AutoSnap System



SpeedMatic System



ClickMatic System



IntegratedTele System



SafetyCap



GuardMatic® System





5 – 8



MONTO®



9 – 11



MONTO®



12 – 19



MONTO®



20 – 28



MONTO®




31 – 39

Safety

PlusLine



				3	4	
1		A	ca.	m	2,65	2,85
		B	ca.	m	0,65	0,85
2		C	ca.	m	1,55	1,80
		D	ca.	m	1,40	1,65
			ca.	kg	4,5	5,2
		(B)	ca.	m	0,45	0,50
		(T)	ca.	m	0,15	0,15
		(L)	ca.	m	1,60	1,85
		Art.-No.			127914	127921



MultiGrip
System





Krauss Komfort Stufen-Stahl-Leiter
Oberklasse
Heimwerker
Praxis 6/2012 **1,3**
Preis-Leistung: gut - sehr gut

www.multigrip-system.de


Security

+ Plus
LineMultiGrip
System

				4	5	6	
1		A ca.	m	2,85	3,05	3,25	–
		B ca.	m	0,85	1,05	1,25	–
2		C ca.	m	1,60	1,80	2,05	–
		D ca.	m	1,45	1,65	1,90	–
		ca.	kg	4,0	4,9	5,6	0,25
		(B) ca.	m	0,45	0,50	0,50	0,30
		(T) ca.	m	0,15	0,15	0,15	0,30
		(L) ca.	m	1,60	1,85	2,10	0,20
		Art.-No.		126528	126535	126542	200006


Treppy®

Plus
Line

				1	1	1	1	1
1		A ca.	m	2,20	2,20	2,20	2,20	2,20
		B ca.	m	0,20	0,20	0,20	0,20	0,20
		ca.	kg	1,7	1,7	1,7	1,7	1,7
		(B) ca.	m	0,25	0,25	0,25	0,25	0,25
		(T) ca.	m	0,30	0,30	0,30	0,30	0,30
		(L) ca.	m	0,40	0,40	0,40	0,40	0,40
								
Art.-No.				130334	130358	130341	130365	130327

Sepuro


Plus
Line

				2
1		A	ca. m	2,40
		B	ca. m	0,40
2		C	ca. m	1,15
		D	ca. m	1,00
			ca. kg	3,0
	(B)	ca. m	0,40	
	(T)	ca. m	0,15	
	(L)	ca. m	1,15	
Art.-No.				127204

Treppy®




Eloxiert • anodised
anodowana • eloxált

				anodizovaná - čírokat		
				2 x 2	2 x 2	
1		A	ca.	m	2,45	2,45
		B	ca.	m	0,45	0,45
2		C	ca.	m	0,45	0,45
		D	ca.	m	0,45	0,45
			ca.	kg	1,95	1,95
		(B)	ca.	m	0,40	0,40
		(T)	ca.	m	0,20	0,20
		(L)	ca.	m	0,55	0,55
		Art.-No.			130013	130174


Rolly®




				2 x 2	2 x 2	2 x 2	2 x 2	2 x 2	2 x 3	
1		A	ca. m	2,45	2,45	2,45	2,45	2,45	2,65	
		B	ca. m	0,45	0,45	0,45	0,45	0,45	0,65	
2		C	ca. m	0,45	0,45	0,45	0,45	0,45	0,70	
		D	ca. m	0,45	0,45	0,45	0,45	0,45	0,65	
			ca.	kg	2,2	2,2	2,2	2,2	3,0	
	(B)		ca.	m	0,40	0,40	0,40	0,40	0,45	
	(T)		ca.	m	0,20	0,20	0,20	0,20	0,20	
	(L)		ca.	m	0,55	0,55	0,55	0,55	0,75	
Art.-No.					130037	130044	130082	130143	130136	130068

Picolý®

NEW




				2	
1		A	ca.	m	2,45
		B	ca.	m	0,45
2		C	ca.	m	0,55
		D	ca.	m	0,45
			ca.	kg	3,0
	(B)	ca.	m	0,45	
	(T)	ca.	m	0,04	
	(L)	ca.	m	0,49	
	Art.-No.			130983	

Toppý XL®




90 mm



				2	3	
1		A	ca.	m	2,50	2,75
		B	ca.	m	0,50	0,75
2		C	ca.	m	1,15	1,40
		D	ca.	m	1,10	1,30
			ca.	kg	4,5	5,9
	(B)	ca.	m	0,50	0,50	
	(T)	ca.	m	0,10	0,10	
	(L)	ca.	m	1,15	1,40	
	Art.-No.				130860	130877


Treppo



				2 x 3	2 x 4	
1		A	ca.	m	2,65	2,85
		B	ca.	m	0,65	0,85
2		C	ca.	m	0,75	0,95
		D	ca.	m	0,65	0,85
		ca.	kg	4,7	6,1	
		(B)	ca.	m	0,50	0,55
		(T)	ca.	m	0,25	0,25
		(L)	ca.	m	0,75	1,00
Art.-No.				126030	126047	


StepTop®



1		A	ca.	m	2,45
		B	ca.	m	0,45
2		C	ca.	m	0,50
		D	ca.	m	0,45
		E	ca.	m	1,10
			ca.	kg	8,5
	(B)	ca.	m	0,40	
	(T)	ca.	m	0,15	
	(L)	ca.	m	1,10	
Art.-No.					130099

Solidy®



				3	4	5	6	7	8	
1		A	ca.	m	2,65	2,85	3,05	3,30	3,50	3,70
		B	ca.	m	0,65	0,85	1,05	1,30	1,50	1,70
2		C	ca.	m	1,35	1,60	1,80	2,05	2,25	2,50
		D	ca.	m	1,25	1,45	1,65	1,90	2,10	2,30
		ca.	kg	2,9	3,7	4,5	5,2	6,2	7,2	
		(B)	ca.	m	0,40	0,45	0,50	0,50	0,50	0,55
		(T)	ca.	m	0,10	0,10	0,10	0,10	0,10	0,10
		(L)	ca.	m	1,40	1,60	1,80	2,05	2,30	2,50
Art.-No.				126214	126221	126238	126245	126252	126269	

Safety®

AntiSlip



				4	5	6	7	8	
1		A	ca.	m	2,85	3,05	3,25	3,50	3,70
		B	ca.	m	0,85	1,05	1,25	1,50	1,70
2		C	ca.	m	1,60	1,80	2,05	2,30	2,50
		D	ca.	m	1,45	1,65	1,90	2,10	2,30
		ca.	kg	3,8	4,7	5,4	6,4	7,4	
		(B)	ca.	m	0,45	0,50	0,50	0,50	0,55
		(T)	ca.	m	0,10	0,10	0,10	0,10	0,10
		(L)	ca.	m	1,60	1,80	2,10	2,30	2,55
Art.-No.				126320	126337	126344	126351	126368	



Sepuro®




				2	4	5	6	7	8
1		A ca.	m	2,40	2,85	3,05	3,25	3,50	3,70
		B ca.	m	0,40	0,85	1,05	1,25	1,50	1,70
2		C ca.	m	1,15	1,60	1,80	2,05	2,30	2,50
		D ca.	m	1,00	1,45	1,65	1,90	2,10	2,30
		ca.	kg	3,0	4,5	5,3	6,3	7,3	8,3
		(B) ca.	m	0,40	0,45	0,50	0,50	0,55	0,55
		(T) ca.	m	0,15	0,15	0,15	0,15	0,15	0,15
		(L) ca.	m	1,15	1,60	1,85	2,10	2,30	2,55
Art.-No.				127204	127228	127235	127242	127280	127297

Securo®

Eloxiert
anodised
anodowana
анодированная
eloxált



				4	5	6	7	8	
1		A	ca.	m	2,85	3,05	3,30	3,50	3,70
		B	ca.	m	0,85	1,05	1,30	1,50	1,70
2		C	ca.	m	1,60	1,80	2,05	2,30	2,50
		D	ca.	m	1,45	1,65	1,90	2,10	2,30
		ca.		kg	4,1	5,0	5,8	6,8	7,8
		(B)	ca.	m	0,45	0,50	0,50	0,55	0,55
		(T)	ca.	m	0,15	0,15	0,15	0,15	0,15
		(L)	ca.	m	1,60	1,85	2,10	2,30	2,55
Art.-No.					126429	126436	126443	126450	126467

Solido®




Stability!



SafetyCap



				4	5	6	7	8	
1		A	ca.	m	2,85	3,05	3,30	3,50	3,70
		B	ca.	m	0,85	1,05	1,30	1,50	1,70
2		C	ca.	m	1,60	1,80	2,05	2,30	2,50
		D	ca.	m	1,45	1,65	1,90	2,10	2,30
		ca.	kg	4,0	5,2	6,0	7,0	8,0	
		(B)	ca.	m	0,45	0,50	0,50	0,55	0,55
		(T)	ca.	m	0,15	0,15	0,15	0,15	0,15
		(L)	ca.	m	1,60	1,85	2,10	2,30	2,55
Art.-No.					126634	126641	126658	126665	126672


SePro® S



				4	5	6	7	8	
1		A	ca.	m	2,85	3,05	3,30	3,50	3,70
		B	ca.	m	0,85	1,05	1,30	1,50	1,70
2		C	ca.	m	1,60	1,80	2,05	2,30	2,50
		D	ca.	m	1,45	1,65	1,90	2,10	2,30
		ca.	kg	4,4	5,2	6,0	7,0	8,0	
		(B)	ca.	m	0,45	0,50	0,50	0,55	0,55
		(T)	ca.	m	0,15	0,15	0,15	0,15	0,15
		(L)	ca.	m	1,60	1,85	2,10	2,30	2,55
Art.-No.				124180	124197	124203	124210	124227	


Dopplo®



					2 x 3	2 x 4	2 x 5	2 x 6	2 x 7	2 x 8
1		A	ca.	m	2,20	2,40	2,65	2,85	3,05	3,30
		B	ca.	m	0,20	0,40	0,65	0,85	1,05	1,30
2		C	ca.	m	0,70	0,90	1,15	1,40	1,60	1,85
		D	ca.	m	0,65	0,85	1,05	1,30	1,50	1,70
		ca.	kg	2,4	3,4	4,4	5,4	6,9	8,4	
		(B)	ca.	m	0,45	0,45	0,50	0,50	0,55	0,55
		(T)	ca.	m	0,15	0,15	0,15	0,15	0,15	0,15
		(L)	ca.	m	0,70	0,95	1,20	1,40	1,65	1,90
Art.-No.					120328	120335	120342	120359	120366	120373

SePro® D



				2 x 3	2 x 4	2 x 5	2 x 6	2 x 7	2 x 8	
1		A	ca.	m	2,20	2,40	2,65	2,85	3,05	3,30
		B	ca.	m	0,20	0,40	0,65	0,85	1,05	1,30
2		C	ca.	m	0,70	0,90	1,15	1,35	1,60	1,85
		D	ca.	m	0,65	0,85	1,05	1,30	1,50	1,70
		ca.		kg	3,2	4,4	5,1	6,4	7,7	9,1
		(B)	ca.	m	0,45	0,45	0,50	0,50	0,55	0,55
		(T)	ca.	m	0,25	0,25	0,25	0,25	0,25	0,25
		(L)	ca.	m	0,70	0,95	1,20	1,40	1,65	1,90
Art.-No.					125804	125811	125828	125835	125842	125859

Sibilo®

1

2




6-9



12-18




Stability!



SafetyCap



				6	9	12	15	18	
1		A	ca.	m	2,80	3,60	4,40	5,25	6,05
		B	ca.	m	0,80	1,60	2,40	3,25	4,05
2		C	ca.	m	1,90	2,70	3,55	4,40	5,25
		D	ca.	m	1,80	2,60	3,40	4,25	5,05
			ca.	m	—	—	0,80	0,80	0,90
			ca.	kg	2,8	4,3	6,5	8,0	9,5
		(B)	ca.	m	0,35	0,35	0,35	0,35	0,35
		(T)	ca.	m	0,05	0,05	0,05	0,05	0,05
		(L)	ca.	m	1,90	2,70	3,55	4,40	5,25
Art.-No.				121387	120519	129109	129123	129154	



Fabilo®



					2 x 9	2 x 12	2 x 15	2 x 18
1		A	ca.	m	5,25	6,85	8,45	9,85
		B	ca.	m	3,25	4,85	6,45	7,85
		C	ca.	m	4,40	6,05	7,75	9,15
		D	ca.	m	4,25	5,85	7,45	8,80
2		A	ca.	m	3,60	4,40	5,25	6,05
		B	ca.	m	1,60	2,40	3,25	4,05
		C	ca.	m	2,70	3,55	4,35	5,20
		D	ca.	m	2,60	3,40	4,25	5,05
		ca.	m	0,90	1,00	1,15	1,25	
		ca.	kg	9,8	14,3	18,8	26,4	
		(B)	ca.	m	0,45	0,45	0,45	0,45
		(T)	ca.	m	0,15	0,15	0,15	0,15
		(L)	ca.	m	2,70	3,55	4,40	5,25
Art.-No.					129277	129307	129321	129352
					Combi Extras			

Dubilo®



				2 x 9	2 x 12	
1		A	ca.	m	5,25	6,85
		B	ca.	m	3,25	4,85
		C	ca.	m	4,35	6,05
		D	ca.	m	4,20	5,85
2		A	ca.	m	3,85	4,65
		B	ca.	m	1,85	2,65
		C	ca.	m	2,70	3,50
		D	ca.	m	2,60	3,40
3		A	ca.	m	3,60	4,40
		B	ca.	m	1,60	2,40
		C	ca.	m	2,70	3,50
		D	ca.	m	2,60	3,40
			ca.	m	0,80	1,00
			ca.	kg	10,2	14,2
		(B)	ca.	m	0,40	0,40
		(T)	ca.	m	0,10	0,15
		(L)	ca.	m	2,70	3,55
Art.-No.				129475	129505	
						


Tribilo®



				3 x 9	3 x 10	3 x 12	3 x 14	3 x 8	3 x 10	3 x 12
1		A	ca. m	6,85	7,65	9,30	10,90	6,05	7,65	9,30
		B	ca. m	4,85	5,65	7,30	8,90	4,05	5,65	7,30
		C	ca. m	6,05	6,90	8,60	10,25	5,25	6,90	8,60
		D	ca. m	5,85	6,65	8,30	9,90	5,05	6,65	8,30
2		A	ca. m	4,95	5,45	6,55	7,60	4,40	5,45	6,55
		B	ca. m	2,95	3,45	4,55	5,60	2,40	3,45	4,55
		C	ca. m	4,40	4,95	6,05	7,20	3,80	4,95	6,05
		D	ca. m	4,20	4,70	5,70	6,90	3,65	4,70	5,70
3		A	ca. m	3,85	4,10	4,65	5,20	3,60	4,10	4,65
		B	ca. m	1,85	2,10	2,65	3,20	1,60	2,10	2,65
		C	ca. m	2,70	3,00	3,55	4,10	2,40	3,00	3,55
		D	ca. m	2,65	2,80	3,30	4,00	2,25	2,80	3,30
4		A	ca. m	3,60	3,85	4,40	4,95	3,35	3,85	4,40
		B	ca. m	1,60	1,85	2,40	2,95	1,35	1,85	2,40
		C	ca. m	2,70	3,00	3,55	4,10	2,40	3,00	3,55
		D	ca. m	2,60	2,85	3,40	4,00	2,35	2,85	3,40
5		A	ca. m	–	–	–	–	4,40	4,95	5,45
		B	ca. m	–	–	–	–	2,40	2,95	3,45
		C	ca. m	–	–	–	–	3,25	3,80	4,35
		D	ca. m	–	–	–	–	3,10	3,65	4,15
		ca. m	1,00	1,15	1,25	1,25	0,90	1,15	1,25	
		ca. kg	16,7	18,3	27,3	31,3	15,3	18,3	27,3	
		(B)	ca. m	0,50	0,50	0,50	0,50	0,50	0,50	0,50
		(T)	ca. m	0,20	0,20	0,25	0,25	0,20	0,20	0,25
		(L)	ca. m	2,70	3,00	3,55	4,10	2,45	3,00	3,55
		Art.-No.			129673	129680	129703	129727	129741	129765
				CombiExtras						

Robilo®



					2 x 15	2 x 18
1		A	ca.	m	8,45	9,80
		B	ca.	m	6,45	7,80
		C	ca.	m	7,70	9,10
		D	ca.	m	7,45	8,80
2		A	ca.	m	5,25	6,05
		B	ca.	m	3,25	4,05
		C	ca.	m	4,35	5,20
		D	ca.	m	4,20	5,00
		ca.	m	1,15	1,25	
		ca.	kg	20,5	27,6	
		(B)	ca.	m	0,40	0,45
		(T)	ca.	m	0,15	0,15
		(L)	ca.	m	4,40	5,20
Art.-No.					129840	129871
					Combi Extras  29	

TriMatic®

SpeedMatic
System




				2 x 6	2 x 8	
1		A	ca.	m	4,40	5,50
		B	ca.	m	2,40	3,50
		C	ca.	m	3,55	4,70
		D	ca.	m	3,40	4,50
2		A	ca.	m	3,05	3,55
		B	ca.	m	1,05	1,55
		C	ca.	m	1,80	2,35
		D	ca.	m	1,70	2,25
		ca.	m	0,80	0,90	
		ca.	kg	8,2	10,2	
		(B)	ca.	m	0,40	0,40
		(T)	ca.	m	0,15	0,15
		(L)	ca.	m	1,80	2,35
Art.-No.				129901	129918	
						

MultiMatic®



4 x 3


incl.




				4 x 3 (incl. )	4 x 4	
1		A	ca.	m	4,40	5,50
		B	ca.	m	2,40	3,50
		C	ca.	m	3,55	4,70
		D	ca.	m	3,45	4,50
2		A	ca.	m	3,05	3,60
		B	ca.	m	1,05	1,60
		C	ca.	m	1,80	2,35
		D	ca.	m	1,75	2,25
3		A	ca.	m	2,95	–
		B	ca.	m	0,95	–
		C	ca.	m	1,00	–
		D	ca.	m	0,95	–
			ca.	m	0,80	0,85
			ca.	kg	18,2	14,2
		(B)	ca.	m	0,40	0,40
		(T)	ca.	m	0,30	0,30
		(L)	ca.	m	1,00	1,30
		Art.-No.		120687	120694	

TeleMatic®



				4 x 4	4 x 5	
1		A	ca.	m	5,00	6,05
		B	ca.	m	3,00	4,05
		C	ca.	m	4,25	5,35
		D	ca.	m	4,10	5,20
2		A	ca.	m	3,35	3,90
		B	ca.	m	1,35	1,90
		C	ca.	m	2,15	2,70
		D	ca.	m	2,05	2,60
3		A	ca.	m	3,00	3,00
		B	ca.	m	1,00	1,00
		C	ca.	m	1,30	1,60
		D	ca.	m	1,25	1,50
			ca.	kg	13,3	15,5
	(B)	ca.	m	0,70	0,70	
	(T)	ca.	m	0,20	0,20	
	(L)	ca.	m	1,35	1,60	
Art.-No.				129956	129963	
				  29		

TeleVario®



					4 x 4	4 x 5
1		A	ca.	m	5,00	6,05
		B	ca.	m	3,00	4,05
		C	ca.	m	4,20	5,35
		D	ca.	m	4,05	5,15
2		A	ca.	m	3,35	3,90
		B	ca.	m	1,35	1,90
		C	ca.	m	2,15	2,70
		D	ca.	m	2,05	2,60
3		A	ca.	m	3,00	3,00
		B	ca.	m	1,00	1,00
		C	ca.	m	1,30	1,60
		D	ca.	m	1,25	1,50
			ca.	kg	15,7	16,5
	(B)	ca.	m	0,70	0,70	
	(T)	ca.	m	0,20	0,20	
	(L)	ca.	m	1,35	1,60	
Art.-No.					129970	129987
					Combi Extras  29	

Combi Extras system®



Art.-No.122063



Art.-No.121400 (2x)



Art.-No.122292



Art.-No.122018




Art.-No.121417



Art.-No.122285



Art.-No.122261 (755 mm)



Art.-No.122469 (2x)


TeleBoard®

System®



EXTRAS


BoardStand



Art.-No.	123732
	4,0 kg



TeleSet



Art.-No.	123749
	2,0 kg

1 TeleBoard	Art.-No.	123701	123718
	(ca.)	12,0 kg	13,5 kg
	(ca.)	1,75 m	2,05 m
	(ca.)	3,00 m	3,50 m
	A (ca.)	2,50 m	
	B (ca.)	0,50 m	
	A (ca.)	min.	2,60 m
	A (ca.)	max.	2,80 m
	B (ca.)	min.	0,60 m
	B (ca.)	max.	0,80 m



ClimTec® System



		0 Art.-No. 710116	1 Art.-No. 710123	2 Art.-No. 710147
	A (ca. m)	3,00	5,00	7,00
	B (ca. m)	1,00	3,00	5,00
	C (ca. m)	1,95	4,00	6,00
	⬆ (ca. kg)	27,5	36,9	36,1
	↔ (ca. m)	2,00	2,15	2,15

ClimTec® EXTRAS



ø 125 mm (4 x)

Art.-No. 714169



ø 150 mm (4 x)

Art.-No. 914323



10,0 kg

Art.-No. 704306



(1 x)

Art.-No. 714039



RollTec®



Alu

max.
200 kg/m²



	A	ca.	2,90
	B	ca.	0,90
	C	ca.	1,90
	(ca. kg)		29,9
	(ca.m)		1,90
Art.-No.			710734

ClimTec®
System



RollTec®



ProTec®
System



ProTec® FahrGerüst-System

Mobile scaffold system

Rusztowania jezdne

Система передвижных вышек

Gurulóállvány-rendszer



Serie Series Seria Sorozat серия						
ProTec® System		2,00 m	0,70 m	12,30 m	Ø 150 mm	2 ≥ 7,30 m 4 ≥ 9,30 m
ProTec XXL System		2,00 m	1,40 m	12,30 m	Ø 150 mm	4 ≥ 6,30 m
ProTec XS System		2,00 m	0,70 m	11,80 m	Ø 125 mm = 2,90 m Ø 150 mm ≥ 3,80 m	2 ≥ 6,80 m 4 ≥ 8,80 m
ProTec 1000 System		2,00 m	0,70 m	12,20 m	Ø 150 mm	4 ≥ 4,20 m
ProTec XS 1000 System		2,00 m	0,70 m	11,70 m	Ø 125 mm = 2,90 m Ø 150 mm ≥ 3,70 m	≥ 3,70 m

ProTec® System



Alu




	A	ca.	2,90	4,30	5,30	6,30	7,30
	B	ca.	0,90	2,30	3,30	4,30	5,30
	C	ca.	2,35	3,45	4,45	5,45	6,45
	ca.		45,0	89,0	115,0	123,0	159,0
Art.-No.			940100	940117	940124	940131	940148

	A	ca.	8,30	9,30	10,30	11,30	12,30
	B	ca.	6,30	7,30	8,30	9,30	10,30
	C	ca.	7,45	8,45	9,45	10,45	11,45
	ca.		177,0	203,0	211,0	237,0	245,0
Art.-No.			940155	940162	940179	940186	940193

ProTec® XXL System



Alu




	A	ca.	2,90	4,30	5,30	6,30	7,30
	B	ca.	0,90	2,30	3,30	4,30	5,30
	C	ca.	2,35	3,45	4,45	5,45	6,45
		ca.	60,4	113,1	137,8	207,5	210,2
Art.-No.			945105	945112	945129	945136	945143

	A	ca.	8,30	9,30	10,30	11,30	12,30
	B	ca.	6,30	7,30	8,30	9,30	10,30
	C	ca.	7,45	8,45	9,45	10,45	11,45
		ca.	237,9	262,6	287,6	315,0	335,0
Art.-No.			945150	945167	945174	945181	945198

ProTec® XS System



Alu



	A	ca.	2,90	3,80	4,80	5,80	6,80
	B	ca.	0,90	1,80	2,80	3,80	4,80
	C	ca.	1,80	2,95	3,95	4,95	5,95
	ca.		39,0	93,0	111,0	127,0	141,0
Art.-No.			942104	942111	942128	942135	942142

	A	ca.	7,80	8,80	9,80	10,80	11,80
	B	ca.	5,80	6,80	7,80	8,80	9,80
	C	ca.	6,95	7,95	8,95	9,95	10,95
	ca.		181,0	199,0	215,0	233,0	249,0
Art.-No.			942159	942166	942173	942180	942197

ProTec 1000[®]

System



Alu



	A	ca.	2,90	4,20	5,20	6,20	7,20
	B	ca.	0,90	2,20	3,20	4,20	5,20
	C	ca.	2,35	3,35	4,35	5,35	6,35
		ca.	45,0	94,0	117,0	128,0	150,5
Art.-No.			940100	949530	949554	949578	949592

	A	ca.	8,20	9,20	10,20	11,20	12,20
	B	ca.	6,20	7,20	8,20	9,20	10,20
	C	ca.	7,35	8,35	9,35	10,35	11,35
		ca.	161,5	184,0	195,0	217,5	228,5
Art.-No.			949615	949639	949653	949677	949691

ProTec® XS 1000

System



Alu



	A	ca.	2,90	3,70	4,70	5,70	6,70
	B	ca.	0,90	1,70	2,70	3,70	4,70
	C	ca.	1,80	2,85	3,85	4,85	5,85
	ca.		39,0	95,0	115,0	128,5	148,5
Art.-No.			942104	949752	949776	949790	949813

	A	ca.	7,70	8,70	9,70	10,70	11,70
	B	ca.	5,70	6,70	7,70	8,70	9,70
	C	ca.	6,85	7,85	8,85	9,85	10,85
	ca.		162,0	182,0	195,5	215,5	229,5
Art.-No.			949837	949851	949875	949899	949912



KRAUSE-Werk GmbH & Co. KG

Am Kreuzweg 3
D-36304 Alsfeld
Tel.: +49 (0) 6631 795-0
E-Mail: info@krause-systems.de



KRAUSE-Systems AG

Chrümble 9
CH-5623 Boswil
Tel.: +41 (0) 56 666 90 50
E-Mail: info@krause-systems.ch



KRAUSE Kft.

H-2030 Érd
Tolmács u. 7.
Tel.: +36 (06) 23 521 130
E-Mail: info@krause-systems.hu



KRAUSE Sp. z o.o.

ul. Stalowa 10
PL - 58- 100 Świdnica
Tel.: +48 (74) 851 88 00
E-Mail: info@krause-systems.pl



ТОО „КРАУЗЕ-СИСТЕМС“

KZ-010000, г. Астана
шоссе Коргалжын 19,
БЦ „Korgalzhyn“, офис 404 А
Тел +7 (7172) 57 67 98
E-Mail: info@krause-systems.com.kz

Besuchen Sie uns im Internet:
Visit our website:
www.krause-systems.com

